



TRAILER HITCHLOCK HITCH IDENTIFICATION CHART

| Item | Description | Fits Hitch |
|-------|---|---|
| AW |  |  Avonride |
| AWS |  |  Avon Ride on 60mm drawbar shaft as fitted to 3.5 ton |
| P6E/2 |  |  To fit Knott KQ14 on P6E Trailer 2004 onwards |
| P6E |  |  To fit Knott KQ14 on P6E Trailer Pre 2004 |
| BR20 |  |  Bradley autohead GA3500 Bradley autohead GA2750 |
| DM |  |  Standard Alko & Albe |
| KN |  |  Knott K35, K27 & K20 |


TRAILER HITCHLOCK HITCH IDENTIFICATION CHART

All reference numbers are corresponding to the hitch head not the draw bar plate.

| Item | Description | Fits Hitch |
|------|---|--|
| SA9 |  |  Bradley Doublelock D5050 |
| LW |  |  To fit AlKo AK7 on 60mm box with stand |
| BR10 |  |  Bradley Unbraked 2600kg |
| BT |  |  Brenderup KFT100-1040 Hitch |
| SA8 |  |  Bradley 3500 |
| LT |  |  Alko box tube hitch 2 x 50mm box found on Jet Ski & Light Trailers |










NOTE: Some Bradley hitch heads are fitted with excessively long fixing bolts. These may need cutting to within two threads of the lock nuts.

HEAVY DUTY HITCHLOCK HITCH IDENTIFICATION CHART

| Item | Description | Fits Hitch |
|--------|---|---|
| BRC |  | <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>Bradley Doublelock 3500Hitch</p> </div> <div style="text-align: center;">  <p>Avonride</p> </div> </div> |
| BRCA |  | <div style="text-align: center;">  <p>Avon Ride on 60mm drawbar shaft as fitted to 3.5 ton</p> </div> |
| BRC/BK |  | <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>Bradley Autohead GA3500</p> </div> <div style="text-align: center;">  <p>Bradley Autohead GA2750</p> </div> </div> |
| AB |  | <div style="text-align: center;">  <p>Alko AK301 & AK351</p> </div> |
| AC |  | <div style="text-align: center;">  <p>Albe EM300R</p> </div> |

HEAVY DUTY HITCHLOCK HITCH IDENTIFICATION CHART

All reference numbers are corresponding to the hitch head not the draw bar plate.

| Item | Description | Fits Hitch |
|------|---|---|
| AA |  |  Standard Alko & Albe |
| BRS |  |  Bradley Doublelock D5050 |
| BR30 |  |  Indespension Triple Lock |
| SA11 |  | For towing eyes up to 33mm thick with a hole dia up to 47mm |
| SA12 |  | For towing eyes up to 50mm thick with a hole dia up to 75mm |
| SA18 |  | For towing eyes up to 30mm, 40mm & 50mm thick |

NOTE: Some Bradley hitch heads are fitted with excessively long fixing bolts. These may need cutting to within two threads of the lock nuts.